

View Online at <https://aerobasegroup.com/nsn/5996-00-054-4628>

Overall Length:

2.810 inches

Overall Height:

0.990 inches

Overall Width:

1.320 inches

Environmental Protection:

Salt spray resistant and shock resistant and vibration

Vibration Resistance Range In Hertz:

+10.0 to 40.0

Vibration Resistance Amplitude:

0.02 inches total excursion

Shock Resistance Rating In Gravitational Units:

10.0

Operating Temperature Range:

-25.0/+75.0 degrees celsius

Storage Temperature Range:

-55.0 to 75.0 degrees celsius

Average Life Measurement:

Not rated

Basic Shape Style:

Rectangular or square

Maximum Operating Altitude Rating:

10000.0 feet

Inclosure Type:

Encased

Operating Control Method:

Automatic

Installation Design:

Module

Control Type:

Remote

Circuit Construction Type:

Solid state

Impedance Rating Per Channel:

200.000 kilohms input channel

Pulse Peak Amplitude Per Channel:

9.000 volts operating channel

Shock Pulse Duration Time:

11.0 milliseconds

Connection Type And Location:

Pin bottom

Connection Contact Type And Quantity:

8 pin external

External Dc Operating Voltage In Volts:

15.0 single voltage

Precious Material And Location:

Terminal surfaces gold

Precious Material:

Gold

Fsc Application Data:

Test set, elect. Equip.

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A32200