Electronic Control Amplifier - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5996-00-065-8086

| Overall Height:  |
|--|
| 4.562 inches   |
| Overall Width:   |
| 4.562 inches   |
| Shock Resistance Rating In Gravitational Units:        |
| 15.0   |
| Operating Tempurature Range:                           |
| -54.0 to 71.0 degrees celsius                          |
| Average Life Rating:                                   |
| 3000.0   |
| Average Life Measurement:                              |
| Hours  |
| Basic Shape Style:                                     |
| Rectangular or square                                  |
| Phase Shift Angle In Deg:                              |
| Between 60.0 input to output and 300.0 input to output |
| Maximum Operating Altitude Rating:                     |
| 70000.0 feet   |
| Inclosure Type:  |
| Encased  |
| Installation Design:                                   |
| Rack   |
| Circuit Construction Type:                             |
| Solid state  |
| Operating Ac Frequency In Hertz:                       |
| 420.0 single voltage                                   |
| External Dc Operating Voltage In Volts:                |
| 29.0 single voltage err-100                            |
| External Ac Operating Voltage In Volts:                |
| 124.0 single voltage                                   |
| Phase:   |
| Single   |
| Special Features:                                      |
| Automatic and manual operation                         |
| Fsc Application Data:                                  |
| Airspeed amplifier&indicator group aa24g18             |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:                                       |
|  |
| Demilitarization:                                      |
|  |

Yes - demil/mli

## NSN 5996-00-065-8086

Electronic Control Amplifier - Page 2 of 2

**Fiig:** A32200

