NSN 5996-00-121-1588

Intermediate Frequency Amplifier - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5996-00-121-1588 **Overall Length:** 4.250 inches **Overall Height:** 1.500 inches **Overall Width:** 3.250 inches **Environmental Protection:** General purpose **Vibration Resistance Range In Hertz:** Not rated **Shock Resistance Rating In Gravitational Units:** Not rated **Operating Tempurature Range:** Not rated **Average Life Measurement:** Not rated **Basic Shape Style:** Irregular **Identification Designator:** 89-683048-1-07397 Phase Shift Angle In Deg: Any acceptable **Maximum Operating Altitude Rating:** Not rated **Inclosure Type:** Encased **Operating Control Method:** Automatic Installation Design: Mechanical **Control Type:** Remote **Circuit Construction Type:** Solid state **Switching Rate Per Second:** Any acceptable Frequency Shift: Any acceptable Frequency Per Channel: 455.0 kilohertz operating channel Frequency Adjustment Type:

Continuous

NSN 5996-00-121-1588

Intermediate Frequency Amplifier - Page 2 of 2



Variation Frequency Rating In Decibels:
6.0
Attenuation In Decibels:
Not rated
Average Power Rating Per Channel:
Not rated
Signal Voltage Rating Per Channel:
Not rated
Overall Gain:
Not rated
Impedance Rating Per Channel:
90.000 ohms output channel
Distortion Type And Percent:
Any acceptable
Indicator Device Type And Quantity:
Any acceptable
Maximum Continuous Operating Time In Hours:
Not rated
Connection Type And Location:
Receptacle, coaxial front
Connection Contact Type And Quantity:
1 receptacle, coaxial external
External Dc Operating Voltage In Volts:
10.0 single voltage
Intermediate Frequency Bandpass:
16.0 kilohertz
Fsc Application Data:
Receiving set, countermeasures
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Demilitarization: Yes - demil/mli