NSN 5996-00-145-6375

Reliability Indicator:

Not established

Direct Current Amplifier - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5996-00-145-6375

Overall Length:						
0.600 inches						
Overall Height:						
0.550 inches						
Overall Width:						
0.600 inches						
Environmental Protection:						
Shock resistant and vibration						
Shock Resistance Rating In Gravitational Units:						
25.0						
Operating Tempurature Range:						
-18.0/+52.0 degrees celsius						
Cubic Measure:						
0.198 cubic inches						
Fragility Factor:						
Moderately rugged						
Average Life Measurement:						
Not rated						
Basic Shape Style:						
Rectangular or square						
Inclosure Type:						
Encased						
Operating Control Method:						
Automatic						
Installation Design:						
Module						
Control Type:						
Remote						
Circuit Construction Type:						
Solid state						
Shock Pulse Duration Time:						
40.0 milliseconds						
Connection Type And Location:						
Pin bottom						
Connection Contact Type And Quantity:						
7 pin external						
External Dc Operating Voltage In Volts:						
-15.0 single voltage and 15.0 single voltage						
Fsc Application Data:						

Test equipment, electronic shop, field maintenance

NSN 5996-00-145-6375

Direct Current Amplifier - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200