NSN 5996-00-145-6375

Reliability Indicator:

Not established

Direct Current Amplifier - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5996-00-145-6375

Overall Length:
0.600 inches
Overall Height:
0.550 inches
Overall Width:
0.600 inches
Environmental Protection:
Shock resistant and vibration
Shock Resistance Rating In Gravitational Units:
25.0
Operating Tempurature Range:
-18.0/+52.0 degrees celsius
Cubic Measure:
0.198 cubic inches
Fragility Factor:
Moderately rugged
Average Life Measurement:
Not rated
Basic Shape Style:
Rectangular or square
Inclosure Type:
Encased
Operating Control Method:
Automatic
Installation Design:
Module
Control Type:
Remote
Circuit Construction Type:
Solid state
Shock Pulse Duration Time:
40.0 milliseconds
Connection Type And Location:
Pin bottom
Connection Contact Type And Quantity:
7 pin external
External Dc Operating Voltage In Volts:
-15.0 single voltage and 15.0 single voltage
Fsc Application Data:

Test equipment, electronic shop, field maintenance

NSN 5996-00-145-6375

Direct Current Amplifier - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200