Radio Frequency Amplifier - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5996-00-185-7704

Overall Length:
22.230 inches
Overall Height:
12.218 inches
Overall Width:
17.375 inches
Vibration Resistance Range In Hertz:
+5.0 to 15.0 and +15.0 to 25.0 and +25.0 to 55.0
Vibration Resistance Amplitude:
0.06 inches total excursion and 0.02 inches total excursion and 0.01 inches total excursion
Shock Resistance Rating In Gravitational Units:
10.0
Operating Tempurature Range:
+0.0 to 65.0 degrees celsius
Average Life Measurement:
Not rated
Basic Shape Style:
Rectangular or square
Maximum Operating Altitude Rating:
6000.0 feet
Inclosure Type:
Encased
Operating Control Method:
Automatic or manual
Installation Design:
Top of cabinet/counter
Control Type:
Local or remote
Frequency Per Channel:
30.0 megahertz operating channel
Frequency Adjustment Type:
Continuous
Variation Frequency Rating In Decibels:
1.0
Indicator Device Type And Quantity:
1 meter
Shock Pulse Duration Time:
11.0 milliseconds
Connection Type And Location:
Receptacle, power rear
Operating Ac Frequency In Hertz:
420.0 single voltage

Radio Frequency Amplifier - Page 2 of 2



External Ac Operating Voltage In Volts:

220.0 single voltage

Phase:

Single

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A32200