

View Online at <https://aerobasegroup.com/nsn/5996-00-281-4500>

Reliability Indicator:

Not established

Overall Length:

Between 1.636 inches and 1.641 inches

Overall Width:

Between 1.136 inches and 1.141 inches

Vibration Resistance Range In Hertz:

+5.0 to 25.0

Shock Resistance Rating In Gravitational Units:

Not rated

Operating Temperature Range:

+0.0 to 65.0 degrees celsius

Average Life Rating:

1000.0

Fragility Factor:

Moderately rugged

Storage Temperature Range:

-55.0 to 75.0 degrees celsius

Average Life Measurement:

Hours

Average Life Rating In Hours:

1000.0

Basic Shape Style:

Irregular

Identification Designator:

2921067-10001

Inclosure Type:

Partially enclosed

Operating Control Method:

Automatic

Installation Design:

Mechanical

Control Type:

Remote

Circuit Construction Type:

Solid state

Signal Voltage Rating Per Channel:

0.400 millivolts input and 2.000 volts input

Overall Gain:

71.0 decibels

Impedance Rating Per Channel:

1.000 kilohms operating channel

Pulse Peak Amplitude Per Channel:

0.400 volts operating channel

Signal Data Type Per Channel:

Operating channel radio frequency

Maximum Continuous Operating Time In Hours:

1000.0

Connection Type And Location:

Pin front

Connection Contact Type And Quantity:

9 pin internal

Fsc Application Data:

Communication equipment, miscellaneous

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200