

View Online at <https://aerobasegroup.com/nsn/5996-00-406-4951>

**Overall Length:**

2.125 inches

**Overall Diameter:**

1.250 inches

**Environmental Protection:**

Vibration and shock resistant and moisture proof

**Vibration Resistance Range In Hertz:**

Not rated

**Shock Resistance Rating In Gravitational Units:**

Not rated

**Operating Temperature Range:**

-0.0 to 62.0 degrees celsius

**Average Life Rating:**

200000.0

**Average Life Measurement:**

Hours

**Average Life Rating In Hours:**

200000.0

**Basic Shape Style:**

Cylindrical

**Phase Shift Angle In Deg:**

90.0 input to output

**Inclosure Type:**

Hermetically sealed

**Installation Design:**

Mechanical

**Circuit Construction Type:**

Solid state

**Frequency Per Channel:**

400.0 hertz 1st input channel

**Variation Frequency Rating In Decibels:**

2.0

**Attenuation In Decibels:**

Not rated

**Average Power Rating Per Channel:**

6.3 watts output

**Signal Voltage Rating Per Channel:**

30.000 volts output

**Overall Gain:**

Not rated

**Impedance Rating Per Channel:**

12.000 kilohms input channel

**Pulse Peak Amplitude Per Channel:**

Not rated

**Signal Data Type Per Channel:**

Output channel proportional

**Maximum Continuous Operating Time In Hours:**

200000.0

**Connection Type And Location:**

Receptacle, power bottom

**Connection Contact Type And Quantity:**

7 receptacle, power external

**External Dc Operating Voltage In Volts:**

28.0 single voltage

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A32200