

View Online at <https://aerobasegroup.com/nsn/5996-00-406-4951>

Overall Length:

2.125 inches

Overall Diameter:

1.250 inches

Environmental Protection:

Vibration and shock resistant and moisture proof

Vibration Resistance Range In Hertz:

Not rated

Shock Resistance Rating In Gravitational Units:

Not rated

Operating Temperature Range:

-0.0 to 62.0 degrees celsius

Average Life Rating:

200000.0

Average Life Measurement:

Hours

Average Life Rating In Hours:

200000.0

Basic Shape Style:

Cylindrical

Phase Shift Angle In Deg:

90.0 input to output

Inclosure Type:

Hermetically sealed

Installation Design:

Mechanical

Circuit Construction Type:

Solid state

Frequency Per Channel:

400.0 hertz 1st input channel

Variation Frequency Rating In Decibels:

2.0

Attenuation In Decibels:

Not rated

Average Power Rating Per Channel:

6.3 watts output

Signal Voltage Rating Per Channel:

30.000 volts output

Overall Gain:

Not rated

Impedance Rating Per Channel:

12.000 kilohms input channel

Pulse Peak Amplitude Per Channel:

Not rated

Signal Data Type Per Channel:

Output channel proportional

Maximum Continuous Operating Time In Hours:

200000.0

Connection Type And Location:

Receptacle, power bottom

Connection Contact Type And Quantity:

7 receptacle, power external

External Dc Operating Voltage In Volts:

28.0 single voltage

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A32200