## NSN 5996-00-413-4416

Magnetic Amplifier - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5996-00-413-4416

### Reliability Indicator: Not established Overall Length: 3.750 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 2.500 inches single mounting facility single center group Center To Center Distance Between Mounting Facilities Parallel To Width: 1.250 inches single mounting facility single center group Overall Height: 3.750 inches

**Overall Width:** 

2.000 inches

**Frequency Rating:** 

47.0 hertz and 420.0 hertz single component

#### Winding Shielding Method:

Internal shield grounded to inclosure single component

**Body Height:** 

2.750 inches

#### **Maximum Operating Temp:**

130.0 degrees celsius

#### Inclosure Type:

Fully enclosed

#### Mounting Facility Quantity:

8 single group

#### Mounting Method:

Threaded stud single group

#### Winding Function And Quantity:

1 primary and 5 secondary and 3 control single component

#### Thready Qty Per Inch (tpi):

32 single group

Thread Size:

0.138 inches single group

#### **Thread Series Designator:**

Unc single group

#### **Terminal Type And Quantity:**

19 turret

Shelf Life:

N/a

Unit Of Measure:

---

#### Demilitarization:

No

# **NSN 5996-00-413-4416** Magnetic Amplifier - Page 2 of 2

Fiig: A058b0

