

View Online at <https://aerobasegroup.com/nsn/5996-00-434-5948>

Overall Length:

Between 1.751 inches and 1.781 inches

Overall Height:

0.812 inches

Overall Width:

1.328 inches

Environmental Protection:

Moisture proof and shock resistant and vibration

Vibration Resistance Range In Hertz:

+20.0/+2000.0

Vibration Resistance Amplitude:

20.0 gravitational units

Shock Resistance Rating In Gravitational Units:

100.0

Operating Temperature Range:

-55.0/+125.0 degrees celsius

Average Life Measurement:

Not rated

Basic Shape Style:

Rectangular or square

Inclosure Type:

Encased

Operating Control Method:

Automatic

Installation Design:

Mechanical and module

Control Type:

Remote

Circuit Construction Type:

Solid state

Frequency Per Channel:

300.0 hertz operating channel and 250.0 kilohertz operating channel

Signal Voltage Rating Per Channel:

0.100 volts input and 2.000 volts input

Impedance Rating Per Channel:

50.000 ohms output channel err-100

Distortion Type And Percent:

0.5 frequency

Shock Pulse Duration Time:

11.0 milliseconds

Connection Type And Location:

Pin bottom

Connection Contact Type And Quantity:

9 pin external

External Dc Operating Voltage In Volts:

28.0 single voltage

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A32200