Audio Frequency Amplifier - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5996-00-478-3433

Overall Length:
5.500 inches
Overall Height:
1.625 inches
Overall Width:
1.625 inches
Vibration Resistance Range In Hertz:
Not rated
Shock Resistance Rating In Gravitational Units:
Not rated
Operating Tempurature Range:
Not rated
Average Life Measurement:
Not rated
Basic Shape Style:
Rectangular or square
Maximum Operating Altitude Rating:
Not rated
Inclosure Type:
Encased
Operating Control Method:
Manual
Installation Design:
Module
Module Control Type:
Control Type:
Control Type: Local
Control Type: Local Circuit Construction Type:
Control Type: Local Circuit Construction Type: Solid state
Control Type: Local Circuit Construction Type: Solid state Frequency Per Channel:
Control Type: Local Circuit Construction Type: Solid state Frequency Per Channel: 300.0 hertz output channel
Control Type: Local Circuit Construction Type: Solid state Frequency Per Channel: 300.0 hertz output channel Variation Frequency Rating In Decibels:
Control Type: Local Circuit Construction Type: Solid state Frequency Per Channel: 300.0 hertz output channel Variation Frequency Rating In Decibels: 5.0
Control Type: Local Circuit Construction Type: Solid state Frequency Per Channel: 300.0 hertz output channel Variation Frequency Rating In Decibels: 5.0 Attenuation In Decibels: Not rated
Control Type: Local Circuit Construction Type: Solid state Frequency Per Channel: 300.0 hertz output channel Variation Frequency Rating In Decibels: 5.0 Attenuation In Decibels:
Control Type: Local Circuit Construction Type: Solid state Frequency Per Channel: 300.0 hertz output channel Variation Frequency Rating In Decibels: 5.0 Attenuation In Decibels: Not rated Average Power Rating Per Channel: Not rated
Control Type: Local Circuit Construction Type: Solid state Frequency Per Channel: 300.0 hertz output channel Variation Frequency Rating In Decibels: 5.0 Attenuation In Decibels: Not rated Average Power Rating Per Channel:
Control Type: Local Circuit Construction Type: Solid state Frequency Per Channel: 300.0 hertz output channel Variation Frequency Rating In Decibels: 5.0 Attenuation In Decibels: Not rated Average Power Rating Per Channel: Not rated Signal Voltage Rating Per Channel:
Control Type: Local Circuit Construction Type: Solid state Frequency Per Channel: 300.0 hertz output channel Variation Frequency Rating In Decibels: 5.0 Attenuation In Decibels: Not rated Average Power Rating Per Channel: Not rated Signal Voltage Rating Per Channel: Not rated
Control Type: Local Circuit Construction Type: Solid state Frequency Per Channel: 300.0 hertz output channel Variation Frequency Rating In Decibels: 5.0 Attenuation In Decibels: Not rated Average Power Rating Per Channel: Not rated Signal Voltage Rating Per Channel: Not rated Overall Gain: 35.0 decibels
Control Type: Local Circuit Construction Type: Solid state Frequency Per Channel: 300.0 hertz output channel 300.0 hertz output channel Variation Frequency Rating In Decibels: 5.0 Attenuation In Decibels: Not rated Average Power Rating Per Channel: Not rated Signal Voltage Rating Per Channel: Not rated

## NSN 5996-00-478-3433

Audio Frequency Amplifier - Page 2 of 2



## **Distortion Type And Percent:**

5.0 frequency

Maximum Continuous Operating Time In Hours:

Not rated

**Connection Type And Location:** 

Receptacle, audio bottom

**Connection Contact Type And Quantity:** 

1 receptacle, audio external

External Dc Operating Voltage In Volts:

52.0 2nd voltage

Shelf Life:

N/a

Unit Of Measure:

---

## Demilitarization:

Yes - demil/mli

Fiig:

A32200