NSN 5996-00-665-0026

Intermediate Frequency Amplifier - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5996-00-665-0026 **Overall Length:** 10.562 inches **Overall Height:** 2.250 inches **Overall Width:** 3.093 inches **Vibration Resistance Range In Hertz:** Not rated **Shock Resistance Rating In Gravitational Units:** Not rated **Operating Tempurature Range:** Not rated **Average Life Measurement:** Not rated **Basic Shape Style:** Rectangular or square **Identification Designator:** D4000p249-70117 **Maximum Operating Altitude Rating:** Not rated **Switching Rate Per Second:** Any acceptable Frequency Shift: Any acceptable **Frequency Per Channel:** 60.0 megahertz operating channel **Attenuation In Decibels:** Not rated **Signal Voltage Rating Per Channel:** 50.000 microvolts input **Overall Gain:** 10000.0 decibels Impedance Rating Per Channel: 50.000 ohms input channel

10000.0 decibels
Impedance Rating Per Channel:
50.000 ohms input channel
Maximum Continuous Operating Time In Hours:
Not rated
Operating Ac Frequency In Hertz:
60.0 single voltage
External Dc Operating Voltage In Volts:

150.0 single voltage

External Ac Operating Voltage In Volts:

6.3 single voltage

NSN 5996-00-665-0026

Intermediate Frequency Amplifier - Page 2 of 2



Intermediate Frequency Bandpass:
11.5 megahertz
Phase:
Single
Fsc Application Data:
Radar, nonairborne, except fire control and guided missile
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli

Fiig: A32200