## NSN 5996-00-842-9120

Overall Length: 1.800 inches Overall Height:

Direct Current Amplifier - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5996-00-842-9120

0.610 inches
Overall Width:
1.200 inches
Environmental Protection:
Electrically insulated
Vibration Resistance Range In Hertz:
+55.0/+500.0
Vibration Resistance Amplitude:
10.0 gravitational units
<b>Shock Resistance Rating In Gravitational Units:</b>
15.0
Operating Tempurature Range:
-55.0/+95.0 degrees celsius
Average Life Measurement:
Not rated
Basic Shape Style:
Rectangular or square
Maximum Operating Altitude Rating:
70000.0 feet
Inclosure Type:
Encapsulated
Installation Design:
Mechanical
Circuit Construction Type:
Solid state
Overall Gain:
80.0 decibels
Impedance Rating Per Channel:
10.000 megohms input channel
Shock Pulse Duration Time:
11.0 milliseconds
Connection Type And Location:
Printed circuit bottom
Connection Contact Type And Quantity:
8 printed circuit external
External Dc Operating Voltage In Volts:
26.0 1st voltage and 26.0 2nd voltage
Fsc Application Data:
Radar set group, guided missile

## NSN 5996-00-842-9120

Direct Current Amplifier - Page 2 of 2



_					
٠.	n	_	I+	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200