NSN 5996-00-869-9805

Radio Frequency Amplifier - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5996-00-869-9805 **Overall Height:** 1.500 inches **Overall Width:** 8.500 inches **Environmental Protection:** Fungus proof **Vibration Resistance Range In Hertz:** Not rated **Individual Section Quantity: Shock Resistance Rating In Gravitational Units:** Not rated **Operating Tempurature Range:** +60.0/+80.0 degrees fahrenheit **Average Life Measurement:** Not rated **Basic Shape Style:** Rectangular or square **Maximum Operating Altitude Rating:** Not rated **Inclosure Type:** Encapsulated Installation Design: Mechanical **Circuit Construction Type:** Solid state **Frequency Per Channel:** 490.0 kilohertz output channel err-100 **Attenuation In Decibels:** Not rated **Average Power Rating Per Channel:** 17.5 milliwatts output **Signal Voltage Rating Per Channel:** 2.000 millivolts any acceptable **Overall Gain:** Not rated Impedance Rating Per Channel: 70.000 ohms output channel err-100 **Distortion Type And Percent:** Any acceptable

Maximum Continuous Operating Time In Hours:

Not rated

NSN 5996-00-869-9805

Radio Frequency Amplifier - Page 2 of 2



External Dc Operating Voltage In Volts:

6.0 1st voltage err-100

Fsc Application Data:

Test set, guided missile

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200