NSN 5996-00-936-5868

Intermediate Frequency Amplifier - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5996-00-936-5868 **Overall Length:** 9.750 inches **Overall Height:** 2.000 inches **Overall Width:** 5.000 inches **Vibration Resistance Range In Hertz:** Not rated **Shock Resistance Rating In Gravitational Units:** Not rated **Operating Tempurature Range:** Not rated **Average Life Measurement:** Not rated **Basic Shape Style:** Rectangular or square **Maximum Operating Altitude Rating:** Not rated Frequency Per Channel: 250.0 kilohertz operating channel **Attenuation In Decibels:** 3.0 **Average Power Rating Per Channel:** Not rated Signal Voltage Rating Per Channel: 2.000 millivolts any acceptable **Overall Gain:** 54.0 decibels Impedance Rating Per Channel: 50.000 ohms input channel err-100 **Maximum Continuous Operating Time In Hours: Operating Ac Frequency In Hertz:** 40.0 single voltage **External Dc Operating Voltage In Volts:** 200.0 single voltage **External Ac Operating Voltage In Volts:** 6.3 single voltage **Intermediate Frequency Bandpass:** 248.1 kilohertz Phase:

Single

NSN 5996-00-936-5868

Intermediate Frequency Amplifier - Page 2 of 2



Fsc Application Data	Fsc Appl	ication	Data
----------------------	----------	---------	------

Intermediate frequency, amplifiers, radio, except navigation nonairborne

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200