NSN 5996-00-945-4234



Direct Current Amplifier - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5996-00-945-4234 **Overall Length:** 1.120 inches **Overall Height:** 0.620 inches **Overall Width:** 1.120 inches **Environmental Protection:** Weatherproof **Operating Tempurature Range:** -25.0/+85.0 degrees celsius Storage Tempurature Range: -55.0/+85.0 degrees celsius **Average Life Measurement:** Not rated **Basic Shape Style:** Rectangular or square **Inclosure Type:** Encapsulated **Operating Control Method:** Automatic Installation Design: Module **Control Type:** Remote **Circuit Construction Type:** Solid state **Average Power Rating Per Channel:** 20.0 milliwatts output **Overall Gain:** 10000.0 volts Impedance Rating Per Channel: 5.0 kilohms output channel and 10.0 megohms 2nd input channel and 10.0 megohms 1st input channel **External Dc Operating Voltage In Volts:**

15.0 single voltage

Test Data Document:

04071-r354009 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Fsc Application Data:

Trainer, weapon system, aircraft

Shelf Life:

N/a

Unit Of Measure:

NSN 5996-00-945-4234

Direct Current Amplifier - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A32200