Radio Frequency Amplifier - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5996-01-026-1936

Overall Length:
3.000 inches
Overall Height:
2.000 inches
Overall Width:
1.040 inches
Environmental Protection:
Moisture proof and salt spray resistant and vibration
Vibration Resistance Range In Hertz:
Not rated
Individual Section Quantity:
1
Shock Resistance Rating In Gravitational Units:
Not rated
Operating Tempurature Range:
-55.0/+85.0 degrees celsius
Average Life Measurement:
Not rated
Basic Shape Style:
Rectangular or square
Identification Designator:
800176p3-94117
Maximum Operating Altitude Rating:
Not rated
Inclosure Type:
Encased
Installation Design:
Mechanical
Circuit Construction Type:
Solid state
Frequency Per Channel:
60.0 megahertz operating channel err-100
Attenuation In Decibels:
Not rated
Average Power Rating Per Channel:
200.0 milliwatts input
Signal Voltage Rating Per Channel:
Not rated
Overall Gain:
11.2 decibels
Impedance Rating Per Channel:
50.000 ohms operating channel

NSN 5996-01-026-1936

Radio Frequency Amplifier - Page 2 of 2



Maximum Continuous Operating Time In Hours:

Not rated

Connection Type And Location:

Receptacle, coaxial front and receptacle, coaxial rear and solder lug rear

Connection Contact Type And Quantity:

2 receptacle, coaxial external and 4 solder lug external

External Dc Operating Voltage In Volts:

25.0 single voltage

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A32200