## NSN 5996-01-064-0630

Electronic Control Amplifier - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5996-01-064-0630



**Overall Length:** 13.625 inches **Overall Height:** 6.000 inches **Overall Width:** 6.562 inches **Vibration Resistance Range In Hertz:** Not rated **Shock Resistance Rating In Gravitational Units:** Not rated **Operating Tempurature Range:** -28.0/+65.0 degrees celsius **Average Life Measurement:** Not rated **Basic Shape Style:** Rectangular or square **Identification Designator:** Am-2474/srn6-80058 **Inclosure Type:** Partially enclosed **Operating Control Method:** Automatic Installation Design: Panel **Control Type:** Remote **Circuit Construction Type:** Solid state Frequency Per Channel: Not rated **Attenuation In Decibels: Average Power Rating Per Channel:** 100.0 watts output **Signal Voltage Rating Per Channel:** Not rated **Overall Gain:** Not rated Impedance Rating Per Channel: 15.000 kilohms input channel err-100

**Pulse Peak Amplitude Per Channel:** 

Not rated

## NSN 5996-01-064-0630

Electronic Control Amplifier - Page 2 of 2



Signal Data Type Per Channel:
Output channel servo err-100
<b>Maximum Continuous Operating Time In Hours:</b>
Not rated
Connection Type And Location:
Wire lead terminals right side
Operating Ac Frequency In Hertz:
60.0 single voltage
Connection Contact Type And Quantity:
14 wire lead terminals external
External Ac Operating Voltage In Volts:
120.0 single voltage
Phase:
Single
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

**Fiig:** A32200