

View Online at <https://aerobasegroup.com/nsn/5996-01-071-6437>

Overall Length:

0.220 inches

Overall Diameter:

0.500 inches

Environmental Protection:

Dust tight and fungus proof and moisture proof

Vibration Resistance Range In Hertz:

+20.0/+2000.0

Vibration Resistance Amplitude:

20.0 gravitational units

Shock Resistance Rating In Gravitational Units:

200.0

Operating Temperature Range:

-32.0/+85.0 degrees celsius

Average Life Measurement:

Not rated

Basic Shape Style:

Cylindrical

Maximum Operating Altitude Rating:

Not rated

Inclosure Type:

Encased

Operating Control Method:

Automatic

Installation Design:

Mechanical

Control Type:

Remote

Circuit Construction Type:

Solid state

Frequency Per Channel:

20.0 megahertz operating channel and 400.0 megahertz operating channel

Attenuation In Decibels:

Not rated

Signal Voltage Rating Per Channel:

15.000 volts input

Overall Gain:

13.5 decibels

Impedance Rating Per Channel:

50.000 ohms operating channel

Maximum Continuous Operating Time In Hours:

Not rated

Shock Pulse Duration Time:

1.0 milliseconds

Connection Type And Location:

Pin bottom and printed circuit bottom

Connection Contact Type And Quantity:

4 pin internal

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A32200