## NSN 5996-01-071-6439

Radio Frequency Amplifier - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5996-01-071-6439 **Overall Length:** 0.390 inches **Overall Height:** 0.500 inches **Overall Width:** 0.010 inches **Vibration Resistance Range In Hertz:** +5.0/+200.0 **Vibration Resistance Amplitude:** 10.0 gravitational units **Shock Resistance Rating In Gravitational Units:** 40.0 **Operating Tempurature Range:** -32.0/+185.0 degrees fahrenheit **Average Life Measurement:** Not rated **Basic Shape Style:** Cylindrical **Maximum Operating Altitude Rating:** 10000.0 feet **Inclosure Type:** Encased **Operating Control Method:** Automatic **Installation Design:** Module **Circuit Construction Type:** Solid state Frequency Per Channel: 900.0 megahertz operating channel **Attenuation In Decibels:** Not rated **Average Power Rating Per Channel:** Not rated **Signal Voltage Rating Per Channel:** Not rated **Overall Gain:** 21.0 decibels Impedance Rating Per Channel: 50.000 ohms input channel err-100

**Maximum Continuous Operating Time In Hours:** 

Not rated

## NSN 5996-01-071-6439

Radio Frequency Amplifier - Page 2 of 2



SŁ	nock	Pul	92	Durat	ion	Time:
o.	IULK	T UI	36	Dulai	IUII	i iiie.

3.0 milliseconds

**Connection Type And Location:** 

Wire lead terminals bottom

**Connection Contact Type And Quantity:** 

4 printed circuit external

**External Dc Operating Voltage In Volts:** 

15.0 single voltage

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200