NSN 5996-01-079-2158

Radio Frequency Amplifier - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5996-01-079-2158

| Overall Length: |
|--|
| 4.100 inches |
| Overall Height: |
| 0.930 inches |
| Overall Width: |
| 1.100 inches |
| Operating Tempurature Range: |
| +0.0/+75.0 degrees celsius |
| Average Life Measurement: |
| Not rated |
| Basic Shape Style: |
| Rectangular or square |
| Identification Designator: |
| 03-1236746-6-07397 |
| Maximum Operating Altitude Rating: |
| Not rated |
| Inclosure Type: |
| Hermetically sealed |
| Installation Design: |
| Mechanical |
| Circuit Construction Type: |
| Solid state |
| Frequency Per Channel: |
| 18050.0 megahertz operating channel err-100 |
| Attenuation In Decibels: |
| Not rated |
| Average Power Rating Per Channel: |
| Not rated |
| Signal Voltage Rating Per Channel: |
| Not rated |
| Overall Gain: |
| 39.0 decibels |
| Impedance Rating Per Channel: |
| Not rated |
| Maximum Continuous Operating Time In Hours: |
| Not rated |
| Connection Type And Location: |
| Receptacle, coaxial top and receptacle, power top and solder lug top and receptacle, coaxial top |
| Connection Contact Type And Quantity: |
| 1 receptacle, coaxial internal and 1 receptacle, power internal and 1 solder lug external and 1 receptacle, coaxial internal |
| External Dc Operating Voltage In Volts: |

15.0 single voltage

NSN 5996-01-079-2158

Radio Frequency Amplifier - Page 2 of 2



| | Life: |
|--|-------|
| | |
| | |

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200