NSN 5996-01-084-1581

Radio Frequency Amplifier - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5996-01-084-1581

Overall Length:
1.250 inches
Overall Height:
1.250 inches
Overall Width:
0.800 inches
Operating Tempurature Range:
-55.0/+95.0 degrees celsius
Cubic Measure:
1.250 cubic inches
Average Life Measurement:
Not rated
Basic Shape Style:
Rectangular or square
Maximum Operating Altitude Rating:
14000.0 feet
Inclosure Type:
Encased
Operating Control Method:
Automatic
Installation Design:
Mechanical
Circuit Construction Type:
Solid state
Frequency Per Channel:
475.0 megahertz operating channel and 610.0 megahertz operating channel
Overall Gain:
17.0 decibels
Impedance Rating Per Channel:
50.000 ohms operating channel
Connection Type And Location:
Dish, sherbet threaded internal and dish, sherbet yoke
Connection Contact Type And Quantity:
2 hyperboloid threaded male
External Dc Operating Voltage In Volts:
15.0 single voltage
Special Features:
Connector housing material shall be cres per qq-s-764, cl 303, cond a, passivated finish; mating dim. Per mil-c-39012
Special Test Features:
Govt source inspections reqd to include 50-hr burn-in at pos 90 degrees c and final elec tests performed by mfr on a 100 pct basis
Supplementary Features:

Input dc power pos 15v (porm 5 pct), 30 ma max; output power at 1 db gain compression pos 10 db referred to 1 mw min

NSN 5996-01-084-1581

Radio Frequency Amplifier - Page 2 of 2



Fsc Application Data	Fsc A	oplicatio	n Data:
----------------------	-------	-----------	---------

Synthesizer assembly 131120-100

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200