## NSN 5996-01-091-0954

Radio Frequency Amplifier - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5996-01-091-0954 **Overall Length:** 2.870 inches **Overall Height:** 0.840 inches **Overall Width:** 1.501 inches **Environmental Protection:** Moisture proof and salt spray resistant and shock resistant and vibration **Vibration Resistance Range In Hertz:** +5.0/+2000.0 **Vibration Resistance Amplitude:** 11.6 gravitational units **Shock Resistance Rating In Gravitational Units:** 50.0 **Operating Tempurature Range:** -45.0/+81.0 degrees celsius **Storage Tempurature Range:** -57.0/+81.0 degrees celsius **Average Life Measurement:** Not rated **Basic Shape Style:** Rectangular or square **Maximum Operating Altitude Rating:** 12000.0 feet **Inclosure Type:** Encased **Operating Control Method:** Automatic Installation Design: Mechanical **Control Type: Circuit Construction Type:** Solid state Frequency Per Channel: 5.0 megahertz operating channel and 1000.0 megahertz operating channel **Overall Gain:** 34.0 decibels

**Shock Pulse Duration Time:** 

11.0 milliseconds

**Connection Type And Location:** 

Dish, sherbet threaded internal and dish, sherbet yoke and err-060 yoke

## NSN 5996-01-091-0954

Radio Frequency Amplifier - Page 2 of 2



## **Connection Contact Type And Quantity:**

2 hyperboloid drain and 2 square drain

**External Dc Operating Voltage In Volts:** 

15.0 single voltage

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200