NSN 5996-01-093-6154

Radio Frequency Amplifier - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5996-01-093-6154

Overall Length:

Between 0.195 inches and 0.220 inches

Overall Diameter:

Between 0.445 inches and 0.454 inches

Vibration Resistance Range In Hertz:

Not rated

Shock Resistance Rating In Gravitational Units:

Not rated

Operating Tempurature Range:

+0.0/+65.0 degrees celsius

Average Life Measurement:

Not rated

Basic Shape Style:

Cylindrical

Identification Designator:

97021-6-49956

Maximum Operating Altitude Rating:

Not rated

Inclosure Type:

Encased

Installation Design:

Module

Circuit Construction Type:

Solid state

Frequency Per Channel:

766.0 megahertz operating channel err-100

Attenuation In Decibels:

Not rated

Average Power Rating Per Channel:

Not rated

Signal Voltage Rating Per Channel:

Not rated

Overall Gain:

5.5 decibels

Impedance Rating Per Channel:

50.000 ohms input channel err-100

Maximum Continuous Operating Time In Hours:

Not rated

Connection Type And Location:

Printed circuit bottom

Connection Contact Type And Quantity:

4 printed circuit external

Radio Frequency Amplifier - Page 2 of 2



External Dc Operating Voltage In Volts:

15.0 single voltage

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A32200