NSN 5996-01-138-0281

Magnetic Amplifier - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5996-01-138-0281

_			
R۵	liahi	litv	Indicator:
ĸe	IIabi	IILV	mulcator.

Not established

Hazardous Locations/environmental Protection:

Moisture resistant and vibration resistant

Overall Length:

Between 2.187 inches and 2.312 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.672 inches and 1.704 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.438 inches single mounting facility single center group

Overall Height:

3.188 inches

Overall Width:

Between 1.937 inches and 2.062 inches

Frequency Rating:

320.0 hertz and 480.0 hertz single component

Maximum Operating Temp:

130.0 degrees celsius

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Thread Size:

0.164 inches single group

Winding Operating Voltage:

20.00 ac volts single component single primary

Test Data Document:

53711-5328577 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

15 turret

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A058b0