

View Online at https://aerobasegroup.com/nsn/5996-01-178-3551

| Overall Length:  |
|--|
| 2.083 inches   |
| Overall Height:  |
| 0.670 inches   |
| Overall Width:   |
| 1.150 inches   |
| Vibration Resistance Range In Hertz:                                     |
| +0.2/+250.0  |
| Vibration Resistance Amplitude:  |
| 5.5 gravitational units  |
| Shock Resistance Rating In Gravitational Units:                          |
| 15.0   |
| Operating Tempurature Range:   |
| -54.0/+85.0 degrees celsius  |
| Average Life Measurement:  |
| Hours  |
| End Application:   |
| 5865-00-335-7261   |
| Basic Shape Style:   |
| Rectangular or square  |
| Maximum Operating Altitude Rating:                                       |
| 70000.0 feet   |
| Operating Control Method:  |
| Automatic  |
| Circuit Construction Type:   |
| Solid state  |
| Frequency Per Channel:   |
| 350.0 megahertz operating channel and 1250.0 megahertz operating channel |
| Frequency Adjustment Type:   |
| Continuous   |
| Overall Gain:  |
| 44.0 decibels  |
| Shock Pulse Duration Time:   |
| 11.0 milliseconds  |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:   |
| <br>Domilitarization   |
| Demilitarization:<br>Yes - demil/mli                                     |
|  |
| Fiig:  |
| A32200   |