

View Online at <https://aerobasegroup.com/nsn/5996-01-187-0838>

Overall Length:

0.750 inches

Overall Height:

0.170 inches

Overall Width:

0.540 inches

Environmental Protection:

Shock resistant and vibration

Vibration Resistance Range In Hertz:

+5.0/+33.0

Shock Resistance Rating In Gravitational Units:

15.0

Operating Temperature Range:

-0.0/+60.0 degrees celsius

Average Life Measurement:

Not rated

End Application:

Recorder-reproducer set, signal data an/ush-3 (v)

Basic Shape Style:

Rectangular or square

Inclosure Type:

Encapsulated

Installation Design:

Module

Circuit Construction Type:

Solid state

Frequency Per Channel:

50.0 hertz output channel and 2.0 megahertz output channel

Variation Frequency Rating In Decibels:

0.5

Impedance Rating Per Channel:

50.000 ohms output channel err-100

Distortion Type And Percent:

0.3 frequency

Indicator Device Type And Quantity:

1 meter

Shock Pulse Duration Time:

11.0 milliseconds

Connection Type And Location:

Pin left side and pin right side

Connection Contact Type And Quantity:

5 pin external

External Dc Operating Voltage In Volts:

15.0 single voltage

Phase:

Single

Cognizant Service:

Usn

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiiq:

A32200