NSN 5996-01-212-5294

Radio Frequency Amplifier - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5996-01-212-5294

Overall Length:
2.710 inches
Overall Height:
1.000 inches
Overall Width:
0.880 inches
Environmental Protection:
Vibration and electromagnetically shielded and shock resistant
Vibration Resistance Range In Hertz:
+5.0 to 10.0
Vibration Resistance Amplitude:
0.3 inches total excursion
Shock Resistance Rating In Gravitational Units:
56.0
Operating Tempurature Range:
-25.0 to 63.0 degrees celsius
Average Life Measurement:
Hours
Basic Shape Style:
Rectangular or square
Identification Designator:
A2665-4-60509
Inclosure Type:
Hermetically sealed
Installation Design:
Free-standing
Circuit Construction Type:
Solid state
Frequency Per Channel:
8.0 gigahertz operating channel and 12.0 gigahertz operating channel
Overall Gain:
23.0 decibels
Shock Pulse Duration Time:
11.0 milliseconds
Connection Type And Location:
Receptacle, coaxial left side and receptacle, coaxial right side and receptacle, power right side
Connection Contact Type And Quantity:
3 receptacle, coaxial external
External Dc Operating Voltage In Volts:
2.0 single voltage
Shelf Life:
N/a

NSN 5996-01-212-5294

Radio Frequency Amplifier - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200