## NSN 5996-01-293-9220

Radio Frequency Amplifier - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5996-01-293-9220 **Overall Length:** 0.350 inches **Overall Diameter:** Between 0.340 inches and 0.370 inches **Environmental Protection:** Fungus proof and moisture proof and shock resistant and vibration **Vibration Resistance Amplitude:** 3.0 gravitational units **Shock Resistance Rating In Gravitational Units:** 30.0 **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -55.0/+150.0 degrees celsius **Average Life Measurement:** Not rated **Basic Shape Style:** Cylindrical **Inclosure Type: Encased Operating Control Method:** Automatic Installation Design: Module **Control Type:** Remote **Circuit Construction Type:** Solid state Frequency Per Channel: 15.0 megahertz operating channel and 30.0 megahertz operating channel **Connection Type And Location:** Pin bottom **Connection Contact Type And Quantity:** 8 pin external **External Dc Operating Voltage In Volts:** 6.0 single voltage Shelf Life: N/a **Unit Of Measure:** 

Demilitarization:

Yes - demil/mli

## NSN 5996-01-293-9220

Radio Frequency Amplifier - Page 2 of 2



Fiig:

A32200