NSN 5996-01-328-0020

Radio Frequency Amplifier - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5996-01-328-0020 **Overall Length:** 19.000 inches **Overall Height:** 3.500 inches Overall Width: 15.000 inches **Operating Tempurature Range:** +16.0/+40.0 degrees celsius Storage Tempurature Range: -42.0/+52.0 degrees celsius **Average Life Measurement:** Not rated **End Application:** An/fsq-11 (v) automatic remote tracking system **Basic Shape Style:** Rectangular or square **Inclosure Type: Encased** Installation Design: Module **Circuit Construction Type:** Solid state Frequency Per Channel: 2.195 gigahertz operating channel and 2.310 gigahertz operating channel **Overall Gain:** 47.0 decibels Impedance Rating Per Channel: 50.000 ohms operating channel **Operating Ac Frequency In Hertz:** 47.0 single voltage and 63.0 single voltage **External Ac Operating Voltage In Volts:** 110.0 single voltage Phase: Single **Supplementary Features:** Input vswr 1.8: 1 max; output vswr 1.8: 1 max; control of the rf amplifier shall be local via the front panel; all connectors shall be rear panel mounted (rf in n female; rf out n female; power 3-prong 110 volt power connector); noise figure 6 db max, 5.0 db typical; gain adjust potentiometer allows a manual adjustment of rf gain Shelf Life: N/a **Unit Of Measure:**

Yes - demil/mli

Demilitarization:

NSN 5996-01-328-0020

Radio Frequency Amplifier - Page 2 of 2



Fiig:

A32200