NSN 5996-01-343-2962

Radio Frequency Amplifier - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5996-01-343-2962

| View Online at https://aerobasegroup.com/nsn/5996-01-343-2962 |
|---|
| Overall Length: |
| Between 0.365 inches and 0.405 inches |
| Overall Diameter: |
| Between 0.498 inches and 0.502 inches |
| Operating Tempurature Range: |
| -54.0/+100.0 degrees celsius |
| Storage Tempurature Range: |
| -62.0/+125.0 degrees celsius |
| Average Life Measurement: |
| Not rated |
| Basic Shape Style: |
| Cylindrical |
| Inclosure Type: |
| Encased |
| Operating Control Method: |
| Automatic |
| Installation Design: |
| Module |
| Control Type: |
| Remote |
| Circuit Construction Type: |
| Solid state |
| Frequency Per Channel: |
| 60.0 megahertz operating channel and 80.0 megahertz operating channel |
| Average Power Rating Per Channel: |
| 200.0 milliwatts input |
| Overall Gain: |
| 11.0 decibels |
| Impedance Rating Per Channel: |
| 50.000 ohms operating channel |
| Connection Type And Location: |
| Err-060 glad hand quick disconnect |
| Connection Contact Type And Quantity: |
| 4 liters of liquid nitrogen drain |
| External Dc Operating Voltage In Volts: |
| 17.0 single voltage |
| Criticality Code Justification: |
| Feat |
| Special Features: |
| Electrostatic sensitive device |
| Shelf Life: |

N/a

NSN 5996-01-343-2962

Radio Frequency Amplifier - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200