

View Online at <https://aerobasegroup.com/nsn/5996-01-535-0963>

**Overall Length:**

Any acceptable

**Overall Height:**

3.500 inches

**Overall Width:**

13.200 inches

**Individual Section Quantity:**

Any acceptable

**Average Life Measurement:**

Not rated

**End Application:**

I-t8000 audio amplifier assembly

**Basic Shape Style:**

Rectangular or square

**Inclosure Type:**

Encased

**Installation Design:**

Rack

**Circuit Construction Type:**

Solid state

**Frequency Per Channel:**

Any acceptable

**Product Name:**

I-tech series amplifier

**Special Features:**

Rated output with both channels driven in dual mode with 0.35% thd (20 hz to 20 khz): 3500 watts per channel into 3 ohms, 4000 watts per channel into 4 ohms, and 2100 watts per channel into 8 ohms; in bridge-mono mode: 7000 watts into 4 ohms and 8000 watts into 8 ohms

**Supplementary Features:**

Chassis is aluminum with a durable silver finish; front panel has indicators (bridge mode, ready, signal, clip, thermal, fault, data, power, ac mains present), lcd control screen, level controls, and power switch; back panel has: power cord connector, reset switch/circuit breaker, output connectors (2 high-current 50a neutrik speakon nl4mlp, 2 pairs high-current 60a color-coded 5-way binding posts, 2 male xlr passive analog loop through, xlr active/re-clocked aes/ebu digital loop through, analog input connector, network connector (rj-45), data indicator, preset indicator; cooling: dual-zone, microprocessor controlled, continuously variable speed fans, front-to-back airflow; fits 19.00 in. Rack

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A32200