

View Online at <https://aerobasegroup.com/nsn/5999-00-011-9694>

**Thread Class:**

2a

**Thread Pitch Diameters:**

+0.1437 to 0.1475 inches

**Body Style:**

Rectangular

**Body Length:**

3.844 inches

**Body Width:**

1.688 inches

**Individual Section Quantity:**

1

**Longest Horizontal Distance Between Mounting Centers:**

0.812 inches

**Operating Temperature Range:**

+0.0 to 65.0 degrees celsius

**Stud Length:**

0.406 inches

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Quantity:**

2

**Material And Location:**

Metal case

**Surface Treatment And Location:**

Varnish case

**Output Impedance Rating:**

75.000 ohms

**Body Depth:**

1.688 inches

**Mounting Facility:**

Threaded stud

**Mounting Provision Arrangement Style:**

2 position in-line

**Signal Delay Method:**

Lumped constant

**Delay Time Variation Method:**

Tapped

**Section Delay Time:**

0.370 microseconds single section

**Segment Quantity Per Section:**

5 single section

**Segment Delay Time:**

0.190 microseconds - single section 1st segment

**Terminal Type And Quantity:**

7 turret

**Thread Size And Series/type Designator:**

0.164-32 unc

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A32100