

View Online at <https://aerobasegroup.com/nsn/5999-00-012-0088>

**Cross Sectional Shape:**

Wire and composition

**Hole Diameter:**

Between 0.193 inches and 0.213 inches

**Overall Length:**

Between 1.609 inches and 1.641 inches

**Overall Width:**

Between 1.609 inches and 1.641 inches

**Aperture Diameter:**

Between 1.359 inches and 1.391 inches

**Outside Corner Radius:**

0.188 inches

**Center To Center Distance Between Bolt Holes Along Width:**

Between 1.240 inches and 1.260 inches

**Center To Center Distance Between Bolt Holes Along Length:**

Between 1.240 inches and 1.260 inches

**Outside Edge To Bolt Hole Center Distance Along Width:**

Between 0.178 inches and 0.198 inches

**Outside Edge To Bolt Hole Center Distance Along Length:**

Between 0.178 inches and 0.198 inches

**Cross-sectional Height:**

0.020 inches

**Bolt Hole Quantity:**

4

**Environmental Protection Material Location:**

Throughout rf shielding gasket

**Material:**

Rubber chloroprene class cr environmental seal

**Material Specification:**

Ams 4182 assn standard single material response emi/rfi conductor

**Surface Treatment:**

Chromate emi/rfi conductor

**Surface Treatment Specification:**

Mil-c-5541 military specification single treatment response emi/rfi conductor

**Style Designator:**

Non-circular

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A032a0

**Mil-std (military Standard):**

Mil-c-5541 spec.