

View Online at <https://aerobasegroup.com/nsn/5999-00-019-0139>

Thread Class:

2a

Body Style:

Rectangular

Adjustment Device Quantity:

1

Adjustment Device Drive Type:

Shaft

Body Length:

4.500 inches

Body Width:

4.500 inches

Shaft Style:

Round, slotted

Individual Section Quantity:

1

Longest Horizontal Distance Between Mounting Centers:

3.500 inches

Longest Vertical Distance Between Mounting Centers:

3.500 inches

Operating Temperature Range:

-5.0 to 65.0 degrees celsius

Mounting Facility Quantity:

4

Input Impedance Rating:

75.000 ohms

Output Impedance Rating:

75.000 ohms

Body Depth:

1.125 inches

Mounting Facility:

Threaded stud

Mounting Provision Arrangement Style:

Four position rectangular

Attenuation In Decibels:

3.000

Delay Time Variation Method:

Adjustable

Section Delay Time:

9.500 microseconds single section

Pulse Rise Time Rating:

100.0 nanoseconds

Terminal Type And Quantity:

4 wire hook

Thread Size And Series/type Designator:

0.164-32 unc

Fsc Application Data:

Radar set, guided missile

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32100