## NSN 5999-00-023-9730



Delay Line - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5999-00-023-9730 **Thread Class:** 2b **Thread Pitch Diameters:** +0.1399/+0.1428 inches **Body Style:** Rectangular Frequency Rating: 30.500 megahertz **Body Length:** 6.000 inches **Body Width:** 1.000 inches **Individual Section Quantity: Longest Horizontal Distance Between Mounting Centers:** 5.000 inches **Mounting Facility Quantity:** 2 **Material And Location:** Steel **Surface Treatment And Location:** Enamel **Output Impedance Rating:** 9100.000 kilohms **Body Depth:** 2.000 inches **Mounting Facility:** Threaded hole **Mounting Provision Arrangement Style:** 2 position in-line **Signal Delay Method:** Transmission line **Delay Time Variation Method:** Tapped **Section Delay Time:** 12.700 microseconds single section **Segment Quantity Per Section:** 15 single section **Terminal Type And Quantity:** 17 wire loop

Thread Size And Series/type Designator: 0.164-32 unc

## NSN 5999-00-023-9730

Delay Line - Page 2 of 2



Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A32100