## NSN 5999-00-065-9698

Delay Line - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-00-065-9698 **Body Style:** Rectangular, bracketed **Hole Diameter:** 0.128 inches **Overall Length:** 7.140 inches **Body Length:** 5.960 inches **Body Width:** 0.750 inches **Individual Section Quantity: Longest Horizontal Distance Between Mounting Centers:** 5.700 inches **Operating Tempurature Range:** -55.0/+125.0 degrees celsius **Mounting Facility Quantity:** 2 **Material And Location:** Any acceptable **Surface Treatment And Location:** Any acceptable Input Impedance Rating: 500.000 ohms **Output Impedance Rating:** 500.000 ohms **Body Depth:** 0.330 inches **Mounting Facility:** Unthreaded hole **Mounting Provision Arrangement Style:** 2 position in-line **Attenuation In Decibels:** 0.200 **Signal Delay Method:** Inductance **Section Delay Time:** 650.000 nanoseconds single section **Terminal Type And Quantity:** 

4 tab solder lug

**Fsc Application Data:** 

Radar nonairborne except fire control and guided missile

## NSN 5999-00-065-9698

Delay Line - Page 2 of 2



Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A32100