

View Online at <https://aerobasegroup.com/nsn/5999-00-070-9547>

Body Style:

Rectangular, front connection

Overall Depth:

Between 2.438 inches and 2.562 inches

Adjustment Device Quantity:

3

Adjustment Device Drive Type:

Linear slide

Body Width:

Between 2.719 inches and 2.781 inches

Individual Section Quantity:

4

Longest Horizontal Distance Between Mounting Centers:

Between 7.609 inches and 7.641 inches

Longest Vertical Distance Between Mounting Centers:

2.188 inches

Operating Temperature Range:

-54.0 to 80.0 degrees celsius

Mounting Facility Quantity:

4

Material And Location:

Metal

Input Impedance Rating:

8.200 kilohms

Output Impedance Rating:

8.200 kilohms

Frequency Bandwidth:

250.0 kilohertz

Mounting Facility:

Threaded stud

Mounting Provision Arrangement Style:

Four position rectangular

Delay Time Variation Method:

Adjustable

Section Delay Time:

7.500 microseconds 1st section

Terminal Type And Quantity:

7 solder stud

Thread Size And Series/type Designator:

0.190-32 unf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A32100