

View Online at <https://aerobasegroup.com/nsn/5999-00-071-8162>

Thread Class:

2b

Thread Pitch Diameters:

+0.0250 to 0.0251 inches

Body Style:

Rectangular, front connection

Overall Depth:

1.187 inches

Body Length:

5.332 inches

Body Width:

1.208 inches

Individual Section Quantity:

1

Longest Horizontal Distance Between Mounting Centers:

Between 3.209 inches and 3.229 inches

Operating Temperature Range:

-40.0 to 175.0 degrees fahrenheit

Mounting Facility Quantity:

2

Voltage Rating:

50.000 volts

Material And Location:

Any acceptable

Input Impedance Rating:

100.000 ohms

Body Depth:

1.000 inches

Mounting Facility:

Threaded hole

Mounting Provision Arrangement Style:

2 position in-line

Attenuation In Decibels:

4.000

Signal Delay Method:

Electromechanical

Delay Time Variation Method:

Tapped

Section Delay Time:

2.420 microseconds single section

Segment Quantity Per Section:

5 single section

Segment Delay Time:

1.100 microseconds single section 5th segment

Pulse Rise Time Rating:

220.0 nanoseconds

Terminal Type And Quantity:

8 tab solder lug

Special Features:

Markings, include vendors name, part number and major technical values

Thread Size And Series/type Designator:

0.112-40 unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A32100