

View Online at <https://aerobasegroup.com/nsn/5999-00-078-3232>

Thread Class:

2b

Thread Pitch Diameters:

+0.1875 to 0.1876 inches

Body Style:

Rectangular

Frequency Rating:

13.000 kilohertz

Body Length:

7.500 inches

Body Width:

1.343 inches

Individual Section Quantity:

1

Operating Temperature Range:

-55.0 to 105.0 degrees celsius

Mounting Facility Quantity:

6

Material And Location:

Any acceptable

Surface Treatment And Location:

Enamel, mil-e-15090, type 1, class 2 case

Input Impedance Rating:

600.000 ohms

Output Impedance Rating:

600.000 ohms

Body Depth:

2.156 inches

Mounting Facility:

Threaded hole

Attenuation In Decibels:

3.000

Signal Delay Method:

Lumped constant

Delay Time Variation Method:

Tapped

Section Delay Time:

61.600 microseconds single section

Segment Quantity Per Section:

3 single section

Segment Delay Time:

29.600 microseconds single section 3rd segment

Terminal Type And Quantity:

5 wire hook

Thread Size And Series/type Designator:

0.138-32 unc

Fsc Application Data:

Sonar detecting-ranging set

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32100