

View Online at <https://aerobasegroup.com/nsn/5999-00-078-3232>

**Thread Class:**

2b

**Thread Pitch Diameters:**

+0.1875 to 0.1876 inches

**Body Style:**

Rectangular

**Frequency Rating:**

13.000 kilohertz

**Body Length:**

7.500 inches

**Body Width:**

1.343 inches

**Individual Section Quantity:**

1

**Operating Temperature Range:**

-55.0 to 105.0 degrees celsius

**Mounting Facility Quantity:**

6

**Material And Location:**

Any acceptable

**Surface Treatment And Location:**

Enamel, mil-e-15090, type 1, class 2 case

**Input Impedance Rating:**

600.000 ohms

**Output Impedance Rating:**

600.000 ohms

**Body Depth:**

2.156 inches

**Mounting Facility:**

Threaded hole

**Attenuation In Decibels:**

3.000

**Signal Delay Method:**

Lumped constant

**Delay Time Variation Method:**

Tapped

**Section Delay Time:**

61.600 microseconds single section

**Segment Quantity Per Section:**

3 single section

**Segment Delay Time:**

29.600 microseconds single section 3rd segment

**Terminal Type And Quantity:**

5 wire hook

**Thread Size And Series/type Designator:**

0.138-32 unc

**Fsc Application Data:**

Sonar detecting-ranging set

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A32100