

View Online at <https://aerobasegroup.com/nsn/5999-00-113-7459>

**Thread Class:**

2b

**Thread Pitch Diameters:**

+0.0813/+0.0958 inches

**Body Style:**

Rectangular, front connection

**Overall Depth:**

1.030 inches

**Shaft Length:**

0.750 inches

**Adjustment Device Quantity:**

1

**Adjustment Device Drive Type:**

Shaft

**Body Length:**

3.500 inches

**Body Width:**

1.000 inches

**Shaft Style:**

Round, slotted

**Individual Section Quantity:**

1

**Longest Horizontal Distance Between Mounting Centers:**

3.100 inches

**Operating Temperature Range:**

+0.0/+85.0 degrees celsius

**Inclosure Type:**

Encased

**Mounting Facility Quantity:**

2

**Voltage Rating:**

25.000 volts

**Material And Location:**

Aluminum body

**Surface Treatment And Location:**

Cadmium plated terminal

**Input Impedance Rating:**

200.000 ohms

**Output Impedance Rating:**

200.000 ohms

**Body Depth:**

0.750 inches

**Mounting Facility:**

Threaded hole

**Mounting Provision Arrangement Style:**

2 position in-line

**Attenuation In Decibels:**

1.000

**Signal Delay Method:**

Inductance

**Delay Time Variation Method:**

Variable

**Section Delay Time:**

100.000 nanoseconds single section

**Pulse Rise Time Rating:**

15.0 nanoseconds

**Terminal Type And Quantity:**

4 pin

**Thread Size And Series/type Designator:**

0.112-40 unc

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A32100