

View Online at <https://aerobasegroup.com/nsn/5999-00-131-0005>

Body Style:

Rectangular, bracketed

Hole Diameter:

0.136 inches

Overall Length:

2.260 inches

Frequency Rating:

Between 68.000 megahertz and 80.000 megahertz

Body Length:

1.520 inches

Body Width:

0.895 inches

Individual Section Quantity:

1

Longest Horizontal Distance Between Mounting Centers:

Between 0.490 inches and 0.510 inches

Longest Vertical Distance Between Mounting Centers:

Between 1.928 inches and 1.948 inches

Operating Temperature Range:

-18.0/+80.0 degrees celsius

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4

Voltage Rating:

20.000 pounds per hour with retaining chain

Input Impedance Rating:

50.000 ohms

Output Impedance Rating:

50.000 ohms

Body Depth:

0.895 inches

Mounting Facility:

Unthreaded hole

Mounting Provision Arrangement Style:

Four position rectangular

Attenuation In Decibels:

23.500

Signal Delay Method:

Lumped constant

Delay Time Variation Method:

Tapped

Section Delay Time:

1.100 microseconds single section

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A32100