NSN 5999-00-131-6694



Delay Line - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5999-00-131-6694 **Thread Class:** 2b **Body Style:** Rectangular **Body Length:** 2.000 inches **Body Width:** 1.000 inches **Individual Section Quantity: Longest Horizontal Distance Between Mounting Centers:** 0.600 inches **Longest Vertical Distance Between Mounting Centers:** 1.600 inches **Operating Tempurature Range:** -40.0/+80.0 degrees celsius **Mounting Facility Quantity:** 2 **Material And Location:**

Any acceptable **Surface Treatment And Location:** Any acceptable Input Impedance Rating: 5.000 kilohms **Output Impedance Rating:** 5.000 kilohms **Body Depth:** 0.600 inches **Mounting Facility:** Threaded hole **Mounting Provision Arrangement Style:** 2 position diagonal **Attenuation In Decibels:** 1.000 **Section Delay Time:** 6.000 microseconds single section **Terminal Type And Quantity:** 3 wire leads Thread Size And Series/type Designator: 0.138-32 unc **Fsc Application Data:** Radio navigation, nonairborne

NSN 5999-00-131-6694

Delay Line - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32100