Electronic Shielding Gasket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-00-142-5556

Cross Sectional Shape: Metal and synthetic rubber Hole Diameter: Between 0.246 inches and 0.255 inches **Overall Length:** Between 8.440 inches and 8.560 inches **Overall Width:** Between 4.820 inches and 4.940 inches **Outside Corner Radius:** 0.120 inches **Aperture Width:** 3.640 inches **Aperture Length:** 7.260 inches Center To Center Distance Between Bolt Holes Along Width: 2.190 inches Center To Center Distance Between Bolt Holes Along Length: 3.000 inches Outside Edge To Bolt Hole Center Distance Along Width: 0.250 inches **Outside Edge To Bolt Hole Center Distance Along Length:** 0.250 inches **Cross-sectional Thickness:** Between 0.045 inches and 0.075 inches **Bolt Hole Quantity:** 8 **Environmental Protection Material Location:** Around rf shielding gasket outer perimeter Material: Rubber silicone class q environmental seal **Material Specification:** Qq-n-281 federal specification single material response emi/rfi conductor Style Designator: Non-circular Shelf Life: N/a Unit Of Measure: --**Demilitarization:** Yes - demil/mli Fiig:

A032a0

Electronic Shielding Gasket - Page 2 of 2



Mil-std (military Standard):

Mil-r-6130 spec.