

View Online at <https://aerobasegroup.com/nsn/5999-00-161-4541>

**Cross Sectional Shape:**

Metal and synthetic rubber

**Hole Diameter:**

Between 0.168 inches and 0.171 inches

**Overall Length:**

Between 2.485 inches and 2.515 inches

**Overall Width:**

Between 1.735 inches and 1.765 inches

**Outside Corner Radius:**

0.236 inches

**Aperture Width:**

Between 0.493 inches and 0.501 inches

**Aperture Length:**

Between 1.118 inches and 1.126 inches

**Center To Center Distance Between Bolt Holes Along Width:**

Between 0.493 inches and 0.501 inches

**Center To Center Distance Between Bolt Holes Along Length:**

0.907 inches

**Outside Edge To Bolt Hole Center Distance Along Width:**

Between 0.290 inches and 0.303 inches

**Outside Edge To Bolt Hole Center Distance Along Length:**

Between 0.388 inches and 0.441 inches

**Cross-sectional Thickness:**

Between 0.128 inches and 0.130 inches

**Gage Ring Thickness:**

0.125 inches

**Bolt Hole Quantity:**

8

**Environmental Protection Material Location:**

Around rf shielding gasket aperture

**Material:**

Rubber silicone class q environmental seal

**Material Specification:**

Qq-a-250/11 federal specification single material response emi/rfi conductor

**Surface Treatment:**

Chromate emi/rfi conductor

**Surface Treatment Specification:**

Mil-c-5541 military specification single treatment response emi/rfi conductor

**Style Designator:**

Non-circular

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A032a0

**Mil-std (military Standard):**

Mil-c-5541 spec.