NSN 5999-00-165-3673

Electronic Shielding Gasket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-00-165-3673

| View Online at https://aerobasegroup.com/nsn/5999-00-165-3673 |
|--|
| Cross Sectional Shape: |
| Mesh and composition |
| Hole Diameter: |
| Between 0.320 inches and 0.390 inches |
| Overall Length: |
| Between 18.040 inches and 18.060 inches |
| Overall Width: |
| Between 14.480 inches and 18.050 inches |
| Minor Width: |
| 0.120 inches |
| Inside Corner Radius: |
| 0.060 inches |
| Outside Corner Radius: |
| 0.500 inches |
| Aperture Width: |
| Between 13.490 inches and 13.510 inches |
| Aperture Length: |
| Between 17.050 inches and 17.070 inches |
| Center To Center Distance Between Bolt Holes Along Width: |
| 3.890 inches |
| Center To Center Distance Between Bolt Holes Along Length: |
| 4.500 inches |
| Outside Edge To Bolt Hole Center Distance Along Width: |
| 0.450 inches |
| Outside Edge To Bolt Hole Center Distance Along Length: |
| 0.420 inches |
| Cross-sectional Height: |
| 0.150 inches |
| Minor Height: |
| 0.120 inches |
| Bolt Hole Quantity: |
| 16 |
| Environmental Protection Material Location: |
| Rf shielding gasket outer edge |
| Material: |
| Rubber chloroprene class cr environmental seal |
| Material Specification: |
| Qq-n-281, class a federal specification single material response emi/rfi conductor or ams 4730 federal specification single material response |
| emi/rfi conductor |
| Style Designator: |
| Non-circular Section 1. Section 1 |
| Shelf Life: |
| N/a |

NSN 5999-00-165-3673

Electronic Shielding Gasket - Page 2 of 2



| | ι | Jn | it | Of | Measure: |
|--|---|----|----|----|----------|
|--|---|----|----|----|----------|

--

Demilitarization:

No

Fiig:

A032a0

Mil-std (military Standard):

Mil-s-6855 spec.