

View Online at <https://aerobasegroup.com/nsn/5999-00-172-7685>

Cross Sectional Shape:

Emi

Hole Diameter:

Between 0.135 inches and 0.146 inches

Overall Length:

Between 1.303 inches and 1.323 inches

Overall Width:

Between 1.303 inches and 1.323 inches

Outside Corner Radius:

Between 0.865 inches and 0.885 inches

Aperture Width:

Between 0.330 inches and 0.340 inches

Aperture Length:

Between 0.640 inches and 0.650 inches

Center To Center Distance Between Bolt Holes Along Width:

Between 0.946 inches and 0.966 inches

Center To Center Distance Between Bolt Holes Along Length:

Between 0.984 inches and 1.004 inches

Outside Edge To Bolt Hole Center Distance Along Width:

Between 0.145 inches and 0.165 inches

Outside Edge To Bolt Hole Center Distance Along Length:

Between 0.169 inches and 0.189 inches

Cross-sectional Thickness:

Between 0.024 inches and 0.030 inches

Cross-sectional Height:

0.027 inches

Bolt Hole Quantity:

4

Environmental Protection Material Location:

Throughout rf shielding gasket

Material:

Rubber silicone class q environmental seal

Precious Material And Location:

Emi/rfi conductive particle surfaces silver

Precious Material:

Silver

Surface Treatment:

Silver emi/rfi conductor

Style Designator:

Non-circular

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A032a0