## NSN 5999-00-236-0320

Electronic Shielding Gasket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-00-236-0320

Cross Sectional Shape:
Mesh and composition
Hole Diameter:
0.187 inches
Overall Length:
14.500 inches
Tempurature Rating:
-40.0 degrees celsius and 75.0 degrees celsius
Overall Width:
6.437 inches
Minor Width:
Between 0.125 inches and 0.156 inches
Outside Corner Radius:
0.125 inches
Aperture Width:
5.438 inches
Aperture Length:
13.500 inches
Center To Center Distance Between Bolt Holes Along Width:
3.500 inches
Center To Center Distance Between Bolt Holes Along Length:
3.300 inches
Outside Edge To Bolt Hole Center Distance Along Width:
0.219 inches
Outside Edge To Bolt Hole Center Distance Along Length:
0.219 inches
Cross-sectional Height:
Between 0.046 inches and 0.091 inches
Minor Height:
Between 0.062 inches and 0.078 inches
Bolt Hole Quantity:
12
Environmental Protection Material Location:
Around rf shielding gasket outer perimeter
Material:
Rubber chloroprene class cr environmental seal
Material Specification:
Mil-r-6130, type 2, grade a, condition medium military specification single material response environmental seal
Style Designator:
Non-circular Non-circular
Shelf Life:
N/a

## NSN 5999-00-236-0320

Electronic Shielding Gasket - Page 2 of 2



U	n	it	Of	Μe	eas	ur	e:

--

Demilitarization:

No

Fiig:

A032a0

Mil-std (military Standard):

Mil-r-6130 spec.